
## Terminal markers DEK 8 BL NEUTRAL



#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 16 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com



The **dekafix (DEK)** marker is the universal marker for all conductor and plug-in connectors as well as for electronics mdoules. The system is ideal for small groups of consecutive numbers and covers a large range of ready-printed markers. Being mounted as strips means that they are quickly clipped on in one operation. The printing is easy to read, has excellent contrast, and is available in five widths.

- Large selection of ready-to-use markers
- In strips for fast installation
- Connector markers are suitable for all Weidmüller conductor connectors
- Available as blank cards, MultiCard or as cards with standard printing

#### General ordering data

Order No.	<u>1277091693</u>
Туре	DEK 8 BL NEUTRAL
Version	Terminal markers, Card, 5 x 8 mm, Polyamide 66, Colour: Blue
GTIN (EAN)	4008190944599
Qty.	500 pc(s).

## Terminal markers DEK 8 BL NEUTRAL

# **Technical data**

**Dimensions and weights** 



### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 16 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Length	5 mm	Width	8 mm
Netweight	0.068 g		
Markings			
Cadmium		Can be labelled with thermal transfer	
	No	printers	No
Can be printed with plotter	Yes	Can be written with dot-matrix printer	No
Can be written with laser printer	No	Colour	Blue
Conductor O.D.		Halogen	No
Material		Material colour according to resistance	
	Polyamide 66	code	6
Operating temperature range, max.	100 °C	Operating temperature range, min.	-40 °C
Pin can be written (STI)	Yes	Pitch in mm (P)	8 mm
PrintJet	No	Silicone	No
Speed marking laser	No	UL 94 flammability rating	V-2
Classifications			
ETIM 2.0	EC000761	ETIM 3.0	EC000761
UNSPSC	30-21-18-07	eClass 4.1	24-19-02-19
eClass 5.1	27-14-11-37	eClass 6.2	27-14-11-37
eClass 5.1	27-14-11-37		27-14-11-37
	27-14-11-37		
Approvals			
A			
Approvals ROHS	Conform		