

Internal Wireless Device Antenna

Mini-Nanoblade



MINI-NANOBLADE INTERNAL EMBEDDED ANTENNA

The evolution of technology has brought the need to communicate everywhere and at all times without being confined to one space. Laird's internal wireless device antennas feature wide bandwidth to enhance the performance and application of portable wireless devices based on standards such as 802.11 and Bluetooth*. The antennas are specifically designed to be embedded inside devices for aesthetically pleasing integration with high durability.

FEATURES ✓ RoHS

- Covers 2.4 to 2.5 GHz for 802.11b, and 4.9 to 6 GHz for 802.11a and all US, European, and Japanese WLAN applications
- Coaxial cable pigtail with various connector choices
- Omnidirectional patterns at all frequencies with increased gain in upper bands for optimal coverage
- Conformance to European RoHS Directive 2002/95/EC

MARKETS

- Bluetooth® devices
- IEEE 802.11 devices

ELECTRICAL SPECIFICATIONS				
2.4 - 2.5 GHz, 4.9 - 6 GHz				
2.0-2.5 dBi (2.4-2.5 GHz), 2.5-4.8 dBi (4.9-5.875 GHz)				
Vertical, Omnidirectional				
50 ohms				
< 2.:1 max across all bands				
1.42" x 0.475"				

CABLE AND CONNECTORS

MODEL NUMBER	PART NUMBER	CABLE	CONNECTOR	MOUNT TAPE
MINIBLADE-IP03T	MAF94149	80mm, Ø 1.13mm	IPEX	YES
MINIBLADE-IP03	MAF94264	80mm, Ø 1.13mm	IPEX	NO
MINIBLADE-FL03	MAF94265	80mm, Ø 1.13mm	N/A	NO
MINIBLADE-IP05T	MAF94383	125mm, Ø 1.13mm	IPEX	YES

Americas: +1.847 839.6925 IAS-AmericasSales@lairdtech.com

Europe: +44.1628.858941 IAS-EUSales@lairdtech.com

Asia:

IAS-AsiaSales@lairdtech.com

Middle East and Africa: +44.1628.858941 IAS-MEASales@lairdtech.com


www.lairdtech.com




Internal Wireless Device Antenna

Mini-Nanoblade

ANTENNA PATTERNS



VSWR



ANT-DS-MINI-NANOBLADE 0616